

# **O-Fit Kit**

# 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 **Product Identifier** 

> O Fit Glue Material name

Product code

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use Adhesive

1.3 Details of the supplier of the safety data sheet

> Manufacturer/Supplier: IMG Ltd.,

> > Unit M

Riverside Industrial Estate

Fazeley Tamworth B78 3RW

Tel. 01827 283322 Fax. 01827 250143

Email (for SDSs) : sales@img-limited.co.uk

1.4 Emergency tel. no. : 01827 283322 (Available from 8.30 – 17.00 hours).

#### 2. HAZARDS IDENTIFICATION

1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation.

Physical and Chemical Hazards Not classified

Human health Skin Irrit.2: H315; Eye Irrit.2: H319; STOT SE3: H335; EUH202

Environment Not classified

2.2 Label elements

Labelling according to EC Directives: 1272/2008/EC

Signal word: Warning. Contains: Ethyl-2-Cyanoacrylate

**Pictograms:** 



**Hazard statements:** Causes skin irritation H315

> H319 Causes serious eye irritation H335 May cause respiratory irritation

**Precautionary** 

statements: P280 Wear protective gloves/protective clothing/eye protection/face protection.

> IF ON SKIN: Wash with plenty of water P302+352

If skin irritation occurs: Get medical advice/attention. P332+313

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact P305+351+338

lenses, if present and easy to do. Continue rinsing.

If eye irritation persists get medical advice/attention. P337+313 Specific treatment (see information provided on the label) P321

**Supplemental** 

**EUH202** Cyanoacrylate. Danger. Bonds skin and eyes in seconds. statements:

Keep out of the reach of children.



**2.3 Other hazards:** The product does not contain any vPvB or PBT substances.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures:

#### **Hazardous components**

| Chemical Name         | CAS No./<br>EC No.     | Classification (1272/2008/EC)                               | Content |
|-----------------------|------------------------|---|---------|
| ETHYL-2-CYANOACRYLATE | 7085-85-0<br>230-391-5 | Skin. Irrit.2: H315<br>Eye Irrit. 2: H319<br>STOT SE3: H335 | 70-90%  |

See Section 16 for the full text of the H-statements noted above.

(1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation).

# 4. FIRST AID MEASURES

# 4.1 Description of first aid measures

**General advice:** Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

**Skin contact**: Do not pull bonded skin apart - soak in warm soapy water until bonded area can be loosened using a blunt object such as a spoon handle.

**Eye contact**: Bonded eyelids can be gently peeled apart after soaking with warm water pads left over the eye. **Do not force**. Cyanoacrylate will bond to eye protein causing lachrymatory effect which will help loosen product. Keep eye covered until debonding is complete – usually 1-3 days. Seek medical advice as solid particles may abrade the eye surface.

**Ingestion**: Ensure breathing passages are not obstructed. Product will immediately polymerise and become inert in the mouth. Saliva will slowly loosen particles after several hours.

Inhalation: Remove to fresh air, seek medical advice if effects persist.

- 4.2 Most important symptoms and effects, both acute and delayed: Bonds skin and eyes in seconds.
- 4.3 Indication of any immediate medical attention and special treatment needed: See skin and eye contact information above.

# 5. FIRE-FIGHTING MEASURES

# 5.1 Extinguishing media

Suitable extinguishing media: Product is non-flammable; use appropriate extinguishing media for the surrounding area. Unsuitable extinguishing media: Not applicable.

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: Irritating/toxic fumes may be released at elevated temperatures.



#### **5.3** Advice for fire-fighters:

Special protective equipment: Further information:

Wear self-contained breathing apparatus. Use personal protective equipment. Standard procedure for chemical fires. Use water spray to cool unopened containers.

Do not allow fire run-off to enter drains.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Use personal protective equipment to deal with spillage.

# 6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

#### 6.3 Methods and materials for containment and cleaning up

Wipe up spillage with absorbent material such as sand, earth, or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

**6.4 References to other sections:** See sections 8 and 13 for personal protection and disposal information.

# 7. HANDLING AND STORAGE

7.1 Precautions for safe handling: Avoid contact with skin and eyes. Handle with care. Avoid breathing vapours.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area between 5°C and 25°C. Keep container tightly closed.

7.3 Specific end use(s): No information available.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Control parameters:

| Chemical name         | 8hr TWA | 15min STEL                           | Reference |
|-----------------------|---------|--------------------------------------|-----------|
| ETHYL-2-CYANOACRYLATE | -       | $0.3 \text{ ppm}/1.5 \text{ mg/m}^3$ | EH40      |

# 8.2 Exposure controls

**Engineering measures**: Provide adequate ventilation to control exposure.

#### Personal protective equipment

Respiratory protection: Use respiratory protection suitable for organic vapours/dust if vapour/dust levels are high.

Hand protection: Wear chemically resistant gloves such as polyethylene or polypropylene gloves approved to standard EN 374; material thickness 0.5mm; break through time  $\geq 480$  min. Do not use PVC, rubber, cotton or nylon gloves. Gloves must be replaced after 8 hours of wear. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Check with glove manufacturer for specific advice.

**Eye protection**: Tightly-fitting safety goggles or glasses conforming to European standard EN 166.



#### 8.2 Exposure controls (continued):

Skin and body protection: Protective overalls.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practices. Do not eat or drink whilst using the product. Wash hands before breaks and at the end of the work day. Wash contaminated clothing before re-use.

Environmental exposure controls: Do not discharge into drains or rivers.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

State and colour Colourless liquid

Odour Pungent

**Odour Threshold** Not determined

**Flammability** Not classed as flammable

Flash point 75°C

Lower explosion limit No data available Upper explosion limit No data available Not explosive **Explosive properties** Thermal decomposition No data available **Auto-ignition temperature** No data available **Oxidising properties** No data available

Solubility in water Insoluble

Solubility in other solvents Acetone - complete Not applicable Melting point/range No data available

Boiling point/range 60°C **Density** 1.05

Vapour pressure 0.293 mmHg @25°C Vapour density Not determined Partition coefficient: n-octanol/water Not determined

Viscosity

2-3 cPs

**Evaporation rate** No data available

9.2 Other information No data available

# 10. STABILITY AND REACTIVITY

10.1 Reactivity Generally non-reactive.

Stable under normal conditions. 10.2 Chemical stability

10.3 Possibility of hazardous reactions None if stored and used as directed.

10.4 Conditions to avoid Heat.

10.5 Incompatible materials Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products Irritating or toxic fumes.



#### 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects Acute toxicity:

| Chemical name         | Oral (LD50)    | Inhalation (LC50) | Dermal (LD50)     |
|-----------------------|----------------|-------------------|-------------------|
| ETHYL-2-CYANOACRYLATE | >5 ml/kg (Rat) | No data available | No data available |

**Skin corrosion/irritation:** May cause irritation, redness and pain. Can bond skin in seconds.

Serious eye damage/eye irritation: May cause eye irritation. May cause pain, redness and watering. May cause permanent

damage. Can bond eyelids in seconds.

**Respiratory or skin sensitisation:** Not classed as a sensitiser.

**Repeated dose toxicity:**No data available.

Carcinogenicity: Not carcinogenic.

Mutagenicity: Not mutagenic.

**Toxicity for reproduction:** Not expected to impair fertility.

Specific target organ toxicity (STOT): No data available

**Further information:** Acute effects may be experienced after short term exposure.

# 12. ECOLOGICAL INFORMATION

**12.1 Toxicity** No data available.

12.2 Persistence and degradability Biodegradable

**12.3 Bioaccumulative potential** Low bioaccumulation potential.

**12.4 Mobility in soil** Insoluble in water.

12.5 Results of PBT and vPvB assessment

No PBT or vPvB substances identified.

**12.6 Other adverse effects** Negligible ecotoxicity.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Disposal operations: Dispose of in accordance with local and national regulations. Do not dispose of waste into sewer.

Do not dispose of together with household waste. Contact licensed waste disposal company. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Do not burn or use a cutting torch on the empty container.

#### 14. TRANSPORT INFORMATION

Not classified as hazardous for transport purposes.

UN number not required.



#### 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **UK Regulatory References**

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2001 No.2677) with amendments.

#### **EU Directives**

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation EU 453/2010 amending Regulation (EC) No 1907/2006.

# **Statutory Instruments**

The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### **Guidance Notes**

Health and Safety Executive Workplace Exposure Limits EH40.

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been performed on this product.

#### 16. OTHER INFORMATION

This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006 (REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals) as amended and Regulation EU 453/2010.

# Full text of H-statements referred to under sections 2 and 3

H315 Causes skin irritation.

H319 Causes serious eye irritation

H335 May cause respiratory irritation

#### Abbreviations and acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

ATE: Acute Toxicity Estimate (Section 11).

CAS: Chemical Abstract Service (division of the American Chemical Society). {Section 3}.

DNEL: Derived No Effect Level (Section 8).

PBT: Persistent, Bioaccumulative, Toxic. (Section 12). PNEC: Predicted No Effect Concentration (Section 8).

STEL: Short-term exposure limit. (Section 8).

STOT: Single Target Organ Toxicity (Section 11).

TWA: Time-weighted average. (Section 8).

vPvB: very Persistent and very Bioaccumulative. (Section 12).

Tariff number: 35061000

**Legal disclaimer**: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

**The IM Group** utilizes a process of continuous product improvement for all of our products. While the IM Group strictly adhere to our products specifications, we routinely implement product improvements. Therefore, please contact us for our most current product specifications. The IM Group warrants the quality of this product when used according to directions. Apply protective coatings per Company Standards. User shall determine suitability of product for use and assumes all risk. The seller will not accept liability for more than product replacement.